Designed to effortlessly remove debris from instruments, our new and refurbished washers completely disinfect 99.9% of all materials removed after each and every cycle. We also include a 1 year parts and labor warranty on all of our refurbished disinfection systems!

SciCan Hydrim C61w G4 Washer

Standard Features:

- Active hot air drying
- Stainless steel exterior
- Countertop/under counter storage
- Integrated data storage w/ USB port
- 64k vivid color touch screen
- Large chamber volume
- Ethernet connection
- PIN protected w/ user ID





SciCan Hydrim L110w G4 Washer

- Integrated data logger w/ USB port
- Large wash space capacity
- Included pump for liquid detergent
- Active hot air drying
- Manufactured in Canada
- Under counter or freestanding unit
- Web based doc software included
- Validates cycles for repeated washing performance
- 65k vivid color touch screen
- PIN protected with user ID

SteelCo DS 50 Compact Disinfector

Standard Features:

- Chamber dimensions: 16.34" x 18.90" x 14.76"
- External dimensions: 19.68" x 22.24" x 21.85"
- Efficient for all types of dental instruments
- Simple installation onto bench-top
- Safe solution for chemical storage
- 3 pre-set washing programs password protected
- Customizable parameters for any wash cycle
- Drop down door for convenient loading/unloading



SteelCo DS 50 DRS Compact Disinfector



- Chamber dimensions: 16.34" x 18.90" x 14.76"
- External dimensions: 22.4" x 22.63" x 21.06"
- Forced hot air drying feature
- Performance of a CSSD washer disinfector in a more compact design
- Can store up to 40 washing programs
- Customizable parameters for any wash cycle
- Come with washing/drying injection connection
- Drop-down door for convenient loading/unloading

SteelCo DS 50/2 DRS Compact Disinfector

Standard Features:

- Chamber dimensions: 16.34" x 19.68" x 14.76"
- External dimensions: 24.88" x 22.12" x 21.06"
- Forced hot air drying feature
- Performance of a CSSD washer disinfector in a more compact design
- Can store up to 40 washing programs
- Customizable parameters for any wash cycle
- Come with washing/drying injection connection
- Compact double door



SteelCo DS 50 HDRS Compact Disinfector



- Chamber dimensions: 16.34" x 18.90" x 14.76"
- External dimensions: 22.05" x 22.72" x 32.48"
- Forced hot air drying feature
- Performance of a CSSD washer disinfector in a more compact design
- Can store up to 40 washing programs
- Customizable parameters for any wash cycle
- Come with washing/drying injection connection
- Drop-down door for convenient loading/unloading
- Dedicated to stand alone installation

SteelCo DS 500 SC LED Medium Disinfector

Standard Features:

- Chamber dimensions: 21.85" x 19.68" x 26.38"
- External dimensions: 23.62" x 24.80" x 33.46"
- · Designed to be free-standing or under-counter unit
- Washing injection system on 2 independent levels
- Stainless steel door version only
- Stores up to 10 washing programs: 5 standard pre-programmed & 5 additional adjustable cycles
- Adjustable cycles are password protected
- Drop down door for convenient loading/unloading



SteelCo DS 500 SCL Medium Disinfector



- Chamber dimensions: 21.85" x 19.68" x 26.38"
- External dimensions: 23.62" x 24.80" x 33.46"
- Designed to be free-standing or under-counter unit
- Washing injection system and forced hot air drying on 2 independent levels
- Stainless steel version with optional glass door configuration available
- Stores up to 40 washing programs: 20 standard pre-programmed & 20 additional adjustable cycles
- Adjustable cycles are password protected
- Drop down door for convenient loading/unloading

SteelCo DS 500 DRS Medium Disinfector

Standard Features:

- Chamber dimensions: 21.85" x 19.68" x 26.38"
- External dimensions: 35.43" x 24.80" x 33.46"
- · Designed to be an under-counter unit
- 2 injection connections for washing and drying
- Built-in powerful HEPA filtered forced air drying
- Upper level has telescopic bearing rails
- Stainless steel version with optional glass door configuration available
- Stores up to 40 washing programs: 20 standard pre-programmed & 20 additional adjustable cycles
- Adjustable cycles are password protected
- Drop down door for convenient loading/unloading



SteelCo DS 600 Medium Disinfector

- Chamber volume: 58.12 gallons / ~ 200 liters
- Basket volume: 44.90 gallons/ ~ 170 liters
- External dimensions: (WxDxH) 25.59" x 25.98" x 66.34"
- Designed with a frontal loading, swing door
- Load capacity up to 8 DIN 1/1 mesh trays
- Available in two versions: single door or double door for pass-through application
- Filtered forced hot air drying system
- High visibility full glass door
- Stores up to 40 washing programs: 20 standard pre-programmed & 20 additional adjustable cycles
- Adjustable cycles are password protected
- Ergonomic door level height design for easy loading/unloading

SteelCo DS 610 Medium Disinfector

Standard Features:

- Chamber dimensions: 21.85" x 22.83" x 33.26"
- External dimensions: 25.59" x 27.05" x 72.44" (specs for standard configuration single door model)
- Fully automatic frontal loading hinged door
- Available in single or double door pass-through versions
- Also available in standard or fast cycle configurations
- Complete washing and thermal disinfection treatment
- Efficient forced hot air drying system

....

- Load capacity up to 10 DIN 1/1 mesh trays
- Fast cycle 2S versions allows a complete cycle in 35min. (pre-wash, main wash, rinse, thermal disinfection, drying)
- Drop down door for convenient loading/unloading



SteelCo DS 610 SL Medium Disinfector

Standard Features:

- Chamber dimensions: 21.85" x 22.83" x 33.26"
- External dimensions: 25.59" x 27.05" x 72.44" (specs for standard configuration single door model)
- Fully automatic frontal loading hinged door
- Available in single or double door pass-through versions
- Also available in standard or fast cycle configurations
- · Complete washing and thermal disinfection treatment
- Efficient forced hot air drying system

K6

- Load capacity up to 10 DIN 1/1 mesh trays
- Fast cycle 2S versions allows a complete cycle in 35min. (pre-wash, main wash, rinse, thermal disinfection, drying)
- Vertical full HST glass motorized sliding doors for reduced machine encumbrance

WASHERS/DISINFECTORS

ST610SL



Standard Features:

- Chamber dimensions: 23.62" x 24.61" x 34.98"
- External dimensions: 35.43" x 29.13" x 77.95"
- Vertical installed washing pump grants allows complete drain of washing circuit
- Available in standard or fast cycle configurations
- Also available in single sliding down door or double pass through washer
- 12x DIN 1/1 net basket capacity
- HEPA-filtered H14 forced air drying
- Washing cart automatic identification
- 10 standard pre-set cycle programs, 5 service programs, and 50 additional cycle programs available for customizing
- Triple water filtering system extends pump life
- Automatic motorized vertical sliding down door

SteelCo DS 900/1000 Large Disinfector

Standard Features:

• Chamber dimensions: 28.15" x 32.09" x 37.01"

ST750

- External dimensions: 43.31" x 37.80" x 77.95"
- Largest SteelCo washer disinfector designed to meet reprocessing needs of CSSD
- Available in single sliding down door or double pass through washer
- Also available in standard or fast cycle configurations
- Complete washing and thermal disinfection treatment
- Efficient forced hot air drying system
- Load capacity up to 18 DIN baskets (18.9" x 9.84" x 1.97")
- Fully automatic frontal loading washer
- Vertical sliding down door available in single or double door pass through version



SteelCo TW 3000/2 Smart Tunnel Disinfector



- Chamber dimensions: 28.14" x 31.69" x 37"
- External dimensions: 45.27" x 69.88" x 77.95"
- Loading height: 33.46"

ST3000/2

- Fully automatic, double chamber, tunnel washer
- Motorized vertical sliding doors
- 18 DIN basket capacity (18.9" x 9.84" x 1.97")
- Complete washing/thermal disinfection treatment in first of 2 chambers
- 2nd chamber dedicated to forced hot air drying phase
 - 10 standard pre-set cycle programs, 50 additional cycle programs available for complete customization, and 5 service programs
 - Washing, thermal disinfection, and drying cycle performed in as little as 17 minutes

(includes: pre-wash, wash, rinse, thermal & drying)

Along with a full line of Steelco and SciCan washers, we can also supply refurbished washers/disinfectors to provide quality you deserve, at an affordable price!

Refurbished Reliance Synergy Washer

Standard Features:

- · Choice of electric or steam heating coil
- Vertical sliding doors
- Includes Stage 3 control system
- Power doors open and close automatically
- Pump powered by dual-speed motor (7.5hp / 2hp)
- Single removable stainless-steel filter
- Rotary spray assemblies
- 16-W fluorescent lamp
- Wash chamber made of 16-gauge, #304 stainless steel
- Double-walled, insulated construction chamber exterior
- Chemical injection pumps
- Pulsed enzyme treatment
- Drying temperature range 180° or 210° F
- Airtight doors and HEPA filter
- Thermal printer





Refurbished Amsco 444 Washer

Standard Features:

- Choice of electric or steam heating coil
- Verticle sliding door
- Automatic detergent injection
- Tinted tempered glass door
- Dual speed pump (7.5 hp/ 2hp)
- Processes (8) full size instrument trays in 35 42 min
- Drying temperature range 150°F (66°C) to 240°F (116°C)
- Double-walled insulated chamber
- Thermal printer
- Up to 1.5 hrs continuous operation

FHC-AMSCO444

This Page Intentionally Left Blank