





Design Approval- **ALL CUSTOM DESIGNS ARE NON-CANCELLABLE AND NON-RETURNABLE.** This endorsed approval drawing must be received in order to release your order for production. Manufacturer reserves the right to alter design to current manufacturing standards. By signing, you certify your approval in the following areas:

- Overall Dimensions
- Hardware (fixtures, casters, accessories)
- Material
- Delivery Access (will it fit through doors)
- Construction and Design
- Facility Integration (rough in alignment, etc)

Approval Signature _____ Date: _____

Print Name *and* _____ Title _____

(Signature, Date, Printed Name & Title are all required)



NOTES:

- FULLY WELDED 304 SERIES STAINLESS STEEL CONSTRUCTION
- PRE-RINSE FAUCETS: GOOSE NECK WITH BUILT IN PRERINSE INLET - 1/2" NPSM MALE WITH COMPRESSION FITTINGS. OPERATING PRESSURE 20-125 PSI OPERATING TEMP RANGE 40-180° F
- SINK DRAIN: SINK OPENING DIAMETER 3-1/2", NPS: 1-1/2" FACE FLANGE DIAMETER: 4-1/2"
- UTILITY REQUIREMENT: COLD WATER - 20 TO 50 PSIG 70°F MAX, HOT WATER - 20 TO 50 PSIG 120°F TO 140°F.

TOLERANCES UNLESS OTHERWISE SPECIFIED
 ANGLES: ±1° .XX = ± .030
 DECIMALS .XXX = ± .015
 FRACTIONS: ± 1/64 .XXXX = ± .005



DRAWN BY	DATE
D.PEASE	9/7/2016
CHECKED BY	DATE
APPROVED BY	DATE
SCALE	SHEET
1:12	1 OF 1

AA	RELEASE FOR CUSTOMER APPROVAL	ECO #	D.PEASE	9/7/2016
REV.	DESCRIPTION	ECO #	BY:	DATE
REVISIONS				

WEIGHT (LBS)	THIRD ANGLE PROJECTION	MATERIAL	FINISH
219.92	INCHES		

TITLE: **PROCESSING SINK DUAL BASIN**

DRAWING NUMBER: **FHCPS267237DB-8-1-3-0-14D**

ANY PHYSICAL, DIMENSIONAL OR PERFORMANCE SPECIFICATIONS SHALL NOT BE REVISED WITHOUT WRITTEN AUTHORIZATION FROM MAC MEDICAL ENGINEERING

CONFIDENTIAL & PROPRIETARY TO FHC NOT TO BE COPIED OR SHOWN TO ANYONE WITHOUT THE EXPRESS PERMISSION OF FHC