


Design Approval - **ALL CUSTOM DESIGNS ARE NON-CANCELLABLE AND NON-RETURNABLE.** This endorsed approval drawing must be received in order to release your order for production. Manufacturer reserves the right to alter design to current manufacturing standards. By signing, you certify your approval in the following areas:

-Overall Dimensions -Hardware (fixtures, casters, accessories)  
 -Material -Delivery Access (will it fit through doors)  
 -Construction and Design -Facility Integration (rough in alignment, etc)

Approval Signature \_\_\_\_\_ Date: \_\_\_\_\_  
 Print Name and Title \_\_\_\_\_  
 (Signature, Date, Printed Name & Title are all required)



- NOTES:
- 1) GOOSE NECK FAUCET  
 INLET - 1/2" NPSM MALE WITH COMPRESSION FITTINGS  
 OPERATING PRESSURE 20-125 PSI  
 OPERATING TEMP RANGE 40-180 DEG. F
  - 2) UTILITY REQUIREMENT  
 COLD WATER - 20 TO 50 PSIG 70 DEG. F MAX  
 HOT WATER - 20 TO 50 PSIG 120 DEG. F TO 140 DEG. F
  - 3) SINK DRAIN: SINK OPENING DIA.: 2"  
 NPS: 1-1/2"  
 FACE FLANGE DIA.: 3"
  - 4) 304 SERIES STAINLESS STEEL
  - 5) WELDED CONSTRUCTION
  - 6) LINEAR UNIT - CONSISTING OF CYLINDER AND A LINEAR GUIDE.  
 LOAD MAX 1,500 N PER CYLINDER  
 LIFT LENGTH UP TO 300 MM (11.82")
  - 7) PUMP:  
 MAX LOAD: 1,000 KG  
 MAXIMUM LIFT SPEED WITH ELECTRIC MOTOR 30 MM/S (1.18"/S)
  - 8) ELECTRIC DRIVE:  
 SYSTEM VOLTAGE: 230/110 VAC  
 ENGINE VOLTAGE: 29 VDC  
 NOMINAL RATING APPROX: 140VA  
 NOMINAL SPEED 120 MIN-1  
 OVERLOAD PROTECTION



AA	RELEASE FOR CUSTOMER APPROVAL		D.OUALLS	5/13/16
REV.	DESCRIPTION	ECO #	BY:	DATE
REVISIONS				

WEIGHT (LBS) 338.53	THIRD ANGLE PROJECTION	INCHES	MATERIAL	FINISH
TITLE <b>ADJ. HEIGHT DOUBLE BOWL PROCESSING SINK</b>				



TOLERANCES UNLESS OTHERWISE SPECIFIED			
ANGLES: ±1°	XXX = ±.020	DATE	
FRACTIONS: ± 1/64	XXXX = ±.015	DRAWN BY	6/23/2015
	XXXXX = ±.008	CHECKED BY	DATE
		LADKISSON	06/24/2015
		APPROVED BY	DATE
		SCALE	SHEET
		1:12	1 OF 3

DRAWING NUMBER: **FHCPS269635DB-9-1-3-2**

CONFIDENTIAL & PROPRIETARY TO FHC. NOT TO BE COPIED OR SHOWN TO ANYONE WITHOUT THE EXPRESS PERMISSION OF FHC



RECOMMENDED TO HAVE 7/8" CLEARANCE SPACE AROUND SINK (SIDES AND BACK)



EXTENDED

TOLERANCES UNLESS OTHERWISE SPECIFIED  
 ANGLES: ±1°  
 DECIMALS: .XX = ±.025  
 FRACTIONS: 1/64 = ±.015  
 XXXX = ±.005



DRAWN BY	DATE
CHECKED BY	DATE
APPROVED BY	DATE
SCALE	SHEET
1:16	2 OF 3

WEIGHT (LBS)	THIRD ANGLE PROJECTION	INCHES	MATERIAL	FINISH
338.53				


TITLE: **ADJ. HEIGHT DOUBLE BOWL PROCESSING SINK** DRAWING NUMBER: **FHCPS269635DB-9-1-3-2**

ANY PHYSICAL DIMENSIONAL OR PERFORMANCE SPECIFICATIONS SHALL NOT BE REVISED WITHOUT WRITTEN AUTHORIZATION FROM MAC MEDICAL ENGINEERING


CONFIDENTIAL & PROPRIETARY TO FHC. NOT TO BE COPIED OR SHOWN TO ANYONE WITHOUT THE EXPRESS PERMISSION OF FHC



DETAIL C  
SCALE 1 : 6  
MEMORY CONTROL PAD  
W/FOUR PRE-SET  
MEMORY CONTROL



DETAIL D  
SCALE 1 : 4  
LINEAR UNIT WITH CYLINDER  
RUBBER ADJ. LEVLER




SUGGESTED OUTLET  
LOCATION. CHECK YOU  
LOCAL BUILDING CODES  
BEFORE INSTALLING

[457.200mm]  
18"  
[60.325mm]  
2 3/8"

MECHANICAL CONTRACTOR TO  
CONNECT TO EXISTING FLOOR  
OR WALL DRAIN IN ACCORDANCE  
WITH APPLICABLE LOCAL CODE  
STANDARDS

CHECK LOCAL CODES  
FOR LOCATION



POWER CORD LOCATION  
SECTION E-E  
PUMP W/COVER  
ELECTRIC MOTOR

RECOMMENDATIONS:

1. UTILITY CONNECTIONS: BRAIDED HOSES ARE USED THEY NEED TO HAVE 12" TO 13" OF PLAY IN ORDER TO ALLOW THE SINK TO RAISE AND LOWER.
2. CHECK ALL LOCAL CODES.

WEIGHT (LBS) 338.53	THIRD ANGLE PROJECTION	INCHES	MATERIAL	FINISH
------------------------	---------------------------	--------	----------	--------

TITLE  
**ADJ. HEIGHT DOUBLE BOWL PROCESSING SINK**

TOLERANCES UNLESS OTHERWISE SPECIFIED		DATE
ANGLES: ±1°	DECIMALS: .XXX ± .003	5/13/2016
FRACTIONS: ± 1/64	DECIMALS: .XXX ± .015	DATE
	DECIMALS: .XXXX ± .005	DATE
DRAWN BY	CHECKED BY	DATE
APPROVED BY	SCALE	SHEET
	1:12	3 OF 3



DRAWING NUMBER  
**FHCPS269635DB-9-1-3-2**

ANY PHYSICAL DIMENSIONAL OR PERFORMANCE SPECIFICATIONS SHALL NOT BE REVISED WITHOUT WRITTEN AUTHORIZATION FROM MAC MEDICAL ENGINEERING

CONFIDENTIAL & PROPRIETARY TO FHC. NOT TO BE COPIED OR SHOWN TO ANYONE WITHOUT THE EXPRESS PERMISSION OF FHC